



Method and system for localizing Java JAR files

FIG. 1A
(PRIOR ART)FIG. 1B
(PRIOR ART)

10042108.010802

2/9




FIG. 2




FIG. 4A

202010301224001

10042106-010802

// Lunar calendars

```

{"HijiStandard",
{"HijiIndic",
{"HijiTransliterated",
{"ChineseLunar",
{"JulianDayNumber",
// Error messages
{"ERR_NOT_HOLIDAY",
{"ERR_NOT_DATE",
{"VALID_RANGE",
{"CAL_PREFS_MISMATCH",
Please find and delete the old file: %s",
{"HOLIDAY_MISMATCH", "There is a mismatch between calendar holidays versions. Please find and delete the old file: %s",
.
.
.
{"Um Al-Qura"},
"Um Al-Qura, Arabic-Indic digits"},
"Um Al-Qura, English transliteration"},
"Chinese Lunar"},
"Julian Day Number"},
// Error messages
{"Date not a holiday"},
{"Unparseable date"},
"Value is out of value range"},
"There is a mismatch between calendar preferences versions.~312
Please find and delete the old file: %s",
// Error message for a raised 'IllegalArgumentException'
// Error while parsing what is supposed to be a date
// Error while parsing what is supposed to be a date
// Local class not compatible
314
}

```

4/9





FIG. 4B

1042103.010802

5/9



10042108.010602

6/9




FIG. 6

10472103-010802

7/9




FIG. 7

8/9




FIG. 8A

9/9




FIG. 8B

20070106.010802